



Checklist

Individualized email distribution

If your AEB application is operated in the AEB data center, all emails generated by the system are sent from <noreply@aeb.com>. If you want to send system emails via your domain, you have two options that will be explained in the following:

Please choose an option and return the document to us specifying your selection and the relevant information.

Options	Explanation of option	Implement option
1: SPF record	<p>An SPF resource record can be used to define a sender policy for a DNS domain. The Sender Policy Framework (SPF) is a technique designed to make it more difficult to forge the sender of an email.</p> <p>For this purpose, a special TXT resource record is entered in the DNS zone of your domain. It determines which of our mail servers are allowed to send emails for your domain. Recipients that support SPF can then check whether the sending mail server has the rights to send emails for this domain. This prevents sender address forgery and the emails do not end up in the spam filter of the recipient.</p> <p>Example of an SPF record if you are using our mail system (depending on the environment, you may also need to add your own mail servers):</p> <pre>v=spf1 include:_spf.senders.dc.aeb.com ~all</pre>	

AEB

Options	Explanation of option	Implement option														
2: Releasing the mail server	<p>This requires that your mail server or network is configured in such a way that the mail server is accessible via the Internet via SMTP from a defined AEB data center sender IP and that emails can be delivered.</p> <p>AEB needs the SMTP mail server URL of your mail server (e.g. smtp.office365.com), the port etc. (see parameter table).</p> <p>The URL must be enabled accordingly in your and in the AEB firewall rules. Afterwards the parameters can be entered in your AEB application and then e-mails can be sent.</p> <table><tr><th>Parameter</th><th>Value</th></tr><tr><td>SMTP mail server URL</td><td></td></tr><tr><td>Port</td><td></td></tr><tr><td>Encryption</td><td></td></tr><tr><td>E-mail address sender</td><td></td></tr><tr><td>SMTP user</td><td></td></tr><tr><td>Password</td><td>Please communicate in encrypted form!</td></tr></table> <p>» An anonymous relay works if the external mail server is configured to allow the AEB mail server to use the external server as a relay (usually IP whitelisting is required).</p> <p>» External IP of the mail relay is 194.175.186.25 or mx3.aeb.com.</p>	Parameter	Value	SMTP mail server URL		Port		Encryption		E-mail address sender		SMTP user		Password	Please communicate in encrypted form!	
Parameter	Value															
SMTP mail server URL																
Port																
Encryption																
E-mail address sender																
SMTP user																
Password	Please communicate in encrypted form!															

- » If multiple AEB applications are operated in AEB's data center, activation only needs to be performed once.